

2006 p., □ 5

CONTENTS

Theoretical electrical engineering and electrophysics

KUCHERJAVA I.N. Computer simulation and analysis of thermal state of an underground

cable line of 10 kV voltage _____
_____ 3

LEVITSKY A.S., MEDVEDENKO M.P., MIKHAL A.A. Computation of a conversion factor

of a planar system of electrodes with an interdigitated geometry _____
_____ 9

FALKOVSKY M.I., BOZHKO I.V. Flames of a diaphragm discharge in water _____
_____ 17

Conversion of electric energy parameters

BOIKO V.S., POTJAZHENKO I.O., SHULJAK A.A., SHULJAK S.A. Special features of operation

conditions of a two-phase adjusting reactor of a three-phase semiconductor rectifier with a

capacitor switch commutating
unit _____ 25

SKURJATIN Yu.V., SAMCHELEEV Yu.P., YABLON V.P. Zero-overshoot responses in a valve

current source with relay control _____
_____ 29

GRECHKO E.N. Two-stage pulse-width
converters _____ 33

KUHAREV A.L., KOHAN P.G., NEDVIGA L.A. Commutation processes in RPN reactor devices

of electric furnace transformers _____
_____ 38

Electromechanical energy conversion

CHUCHMAN Yu., CHEREPANJAK M., MAKSYMOVICH D. Special features of magnetoelectric

systems of slotless executive and measuring electric motors
excitation _____ 44

Electric power systems and installations

KUZNETSOV V.G., GASHIMOV A.M., BABAEV E.S. Influence of space weather on systems

of electric energy transmission in average
latitudes _____ 49

ROSEN V.P., SOLOVEY A.I., CHERNJAVSKY A.V., KAZMIRUK M.A. Design of optimum use

of power saving potential of industrial plants of
Ukraine _____ 59

Electrotechnological complexes and systems

VOZNYI V.A., GLUKHEN'KY A.I., GORISLAVETS Yu.M. Simulation of transient processes

in a stopper metering machine of liquid metals_____

68

Information measuring systems in power engineering

BRAGINETS I.A., KONONENKO A.G., MASJURENKO Yu.A., NIZHENSKY A.D. Laser meter

of low frequency
vibrations_____

74

KARASINSKY O.L., TESIK Yu.F., SHUVALOV G.I., KOLOMIJETS E.A. Calibration algorithm

of a multiphase generator for simulation of a three-phase network
parameters_____ 77