2	n	N	4	Г	1

2004, 🛘 1
CONTENTS
Theoretical electrical engineering and electrophysics
KONDRATENKO I.P., RASCHEPKIN A.P. Power characteristics of multipole linear inductors
considering final length of magnetic circuits3
GLUKHEN'KY A.I., GORISLAVETS Yu.M., PETUKHOV I.S. Computation of electromagnetic
parameters of liquid metal metering pumps

Conversion	of	electric	energy	parameters

FEDIY V.S., NAMESTNIC S.G. Network current analysis of a three-phase valve-capacitor source
of reactive power (SRP) in a capacitive mode18
OLESCHUK V., ERMURATSKI V., SIZOV A., YAROSHENKO E. Synchronous voltage control
in the overmodulation zone of standard drive inverters
22
LYPKIVSKY K.O., KHALIKOV V.A, MGZHAROVSKY A.G. Computation of an installed capacity
of transforming elements of discrete voltage regulators of alternating current 30
VOLKOV A.V. High speed vector control of stator current in frequency-controllable asynchronous
electric drives with width-pulse modulation35
KIRIK V.V. Regulator of an operating voltage value with indistinct control system

Electromechanical energy conversion
AFONIN A.A. Magnetic systems of electromechanical power converters with variation of magnetization
vectors of constant magnet47
SHAITOR N.M. Problems and prospects erf elaboration of electromechanical converters of new
arrangements
55
Electric power systems and installations
KOROBCHUK K.V., TROKHIMENKO A.I., DENISEVICH K.B. Forming of prediction of possfcfo
operation modes of UPS of Ukraine60

LAZAREV V.I. Electrodynamic resistance of transformer windings with rigid washers under com pression 64
ZORIN V.V. As to the problem of reactive electric energy payment68
Electrotechnological complexes and systems
CHERBA A.A., ZAKHARCHENKO S.N. Intensification of spark erosion micro- and nanoparticles
precipitation in dielectric liquids by a nonuniform electric field73