

---

□ 1

**TECHNICAL ELECTRODYNAMICS  
2011**

---

**CONTENTS**

**Subject Categories: Theoretical electrical engineering and electrophysics**

**Title:** [Processes in sin voltage RLC-circuit with the controlled reversing of capacity](#)

**Author:** SHIDLOVSKAIA N.A.

**Source:** Tekhnichna Elektrodynamika 1: 3–10, 2011

**Title:** [Automatic control of external magnetic field of technical objects](#)

**Author:** ROZOV V.Yu., ASSUIROV D.A

**Source:** Tekhnichna Elektrodynamika 1: 11–18, 2011

**Title:** [Analysis of magnetic field of three-dimensional ferrous objects](#)

**Author:** REZYNKINA M.M., LOBZHANIDZE L.E.

**Source:** Tekhnichna Elektrodynamika 1: 19–23, 2011

**Subject Categories: Conversion of electric energy parameters**

**Title:** [Mathematical model of resonance transistor voltage inverter with low frequency pulse modulation](#)

**Author:** YURCHENKO O.M., GUTSALIUK V.Y., GERASYMENKO P.Y., SLIESAREVSKYI I.O.  
**Source:** Tekhnichna Elektrodynamika 1: 24–30, 2011

**Title:** [Comparative estimate of transformer-key operation structures of discrete stabilizers and regulators of alternating voltage](#)

**Author:** LYPKIVSKYI K.O., KHALIKOV V.A., MOZHAROVSKYI A.G.

**Source:** Tekhnichna Elektrodynamika 1: 31–36, 2011

**Subject Categories:** Electromechanical energy conversion

**Title:** [Mathematical model of contactless electric machine with permanent magnet excitation](#)

**Author:** MAKARCHUK O.V.

**Source:** Tekhnichna Elektrodynamika 1: 37–45, 2011

**Subject Categories:** Electric power systems and installations

**Title:** [Technical aspects of adoption of distributed generation sources in electric mains](#)

**Author:** KYRYLENKO O.V., PAVLOVSKYI V.V., LUKIANENKO L.M.

**Source:** Tekhnichna Elektrodynamika 1: 46–53, 2011

**Title:** [Calculation of uncertainty interval of electricity losses in distribution network](#)

**Author:** LEVCHUK A.P.

**Source:** Tekhnichna Elektrodynamika 1: 54–60, 2011

**Title:** [About the necessity of relation's modification between striking distance and lightning peak current recommended by European Standard EN 62305-1:2006](#)

**Author:** STRUZHEVSKI P.

**Source:** Tekhnichna Elektrodynamika 1: 61–65, 2011

**Subject Categories:** Information-measuring systems in power engineering

**Title:** [Laser vibration sensor based on the frequency-phase method of distance measurement](#)

**Author:** BRAGINETS I.A., ZAITSEV E.A., KONONENKO A.G., MASIURENKO YU.A., NYZHENSKYI A.D.

**Source:** Tekhnichna Elektrodynamika 1: 66–70, 2011

**Title:** [Error estimation of measurements of small tangents of loss angles using active resistances](#)

**Author:** BORSHCHEV P.I.

**Source:** Tekhnichna Elektrodynamika 1: 71–75, 2011

**Title:** [Error estimation of standard conductometric cell conditional on non-equipotentiality of electrode face](#)

**Author:** GLUKHENKYI A.I., MYKHAL A.A.

**Source:** Tekhnichna Elektrodynamika 1: 76–82, 2011

**Title:** [Systematic error reduction of capacitive sensor of shaft beats due to deformation of active electrode](#)

**Author:** LEVYTSKYI A.S., NOVIK A.I.

**Source:** Tekhnichna Elektrodynamika 1: 83–87, 2011

**Subject Categories: Information**

**Title:** [To the 75th anniversary of corresponding member of NAS of Ukraine I.V.Volkov](#)

**Source:** Tekhnichna Elektrodynamika 1: 88, 2011

**Title:** SUBMISSION of Manuscript

**Source:** Tekhnichna Elektrodynamika 1: 89–91, 2011

**Title:** INFORMATION for Subscribers

**Source:** Tekhnichna Elektrodynamika 1: 92, 2011

**Institute of Electrodynamics, 2011**