| 1999, 🛘 5   |   |
|---|---|
| CONTENTS  |   |
|   |   |
|   |   |
|   |   |
| Electrodynamics of electrical power devices   |   |
| BELFAEV V.K. Integral equations method of electric fields computation of insulation |   |
| constructions in a vacuum   | 3 |
| DUBODELOV V.I., SEREDENKOV V.A., GORSHKOV A.O., PODOLTSEV A.D.,                     |   |
| KUCHERJAVAJA I.N. Investigation of MHD processes in a melted metal at its flow in   | а |

| hydraulic branching channel  | 7                |
|--|------------------|
| Conversion of electric energy parameters   |                  |
| PAVLOV G.V. Operation mode of a series-resonant converter13                            |                  |
| FEDIY V.S., SOBOLEV V.N. Harmonic analysis of current voltages in a series F           | RLC-circuit with |
| a reversal switch  |                  |
| TCHIZHENKO A.I. Analysis of electromagnetic processes in a reactive power so           | ource with       |
| thyristor-capacitor switching points at restricted values of throttle inductance in a  | a rectified      |
| current circuit  |                  |
| AKIMOV L.V., DOLBNJA V.T., KOLOTILO V.I. Elaboration of a technical device generalized | of a             |

| state observer for a velocity subordinate control systems of thyristor electric drives             |
|--|
| 29   |
|  |
| GONCHAROV Yu.P., SOKOL E.I., HASSAN HARISI, KONOPLEV I.A., CHURSINA Yu.V.                          |
|  |
| Microprocessor control system with an interval-code table memory for an active filter converter 34 |
|  |
|  |
|  |
| Electromechanical energy conversion  |
|  |
| POPOVICH A.N. Parameters for asynchronous machine operating characteristics computation            |
|  |
| aubiant ta iran lagga  |
| subject to iron losses   |
|  |
| VYGOVSKY A.V. Control and diagnostics of thermal defects of stator winding bars of                 |
|  |
|  |
| turbogenerators with high-efficient conductors cooling systems                                     |
| turbogenerators with high-efficient conductors cooling systems43                                   |
| •  |

| which considers longitudinal and cross-currents in a short-circuited rotor magnetic circuit46    |
|--|
| ANTONENKO A.I., MASLOVSKY V.A., TSYGANKOV A.A. Self-inductance and mutual inductance             |
| computation of a slot dissipation of winding coils of alternating current motors51               |
|  |
| Electrical power systems and installations   |
| AVRAMENKO V.N., STEPANOV A.V. Determination of power systems dynamic stability margin by         |
| a direct Lyapunov's method55   |
| KRIKUNOV Yu.V., SKRYNSKY A.V. Voltage distribution along composite insulator strings59           |
| VOEVODA A.I., REDIN V.I., ZORIN E.V., SIDOROV A.F. Principles of operation, settings and volumes |

| choice of a frequency start automatic equipment of an inter connected power system of Ukraine 63     |
|--|
| GUDIM V.I. A mathematical model of power supply systems of electric arc units in nodal coordinates66 |
| Electrical and magnetic measurements   |
| SURDU M.N., MOGILEVSKY V.M., MITRAKHOVICH M.M., SEMENYCHEVA L.N. Methods                             |
| of electrical resistance unit size transmission with a transfer standard application71               |
| KONDRATOVV.T. Systematic errors correction at a power function of a transducer trasfer73             |
| <b>Abstracts</b> 78  |
| VI International conference "The problems of advanced electrotechnics-2000"                          |

\_\_\_\_\_ 80