

1997, № 5

CONTENTS

Electrodynamics of electrical power devices

Batygin Yu.V., Bondarenko A.Yu. Relation between tangent components of pulse electromagnetic

field vectors at a surface of fine-wall

conductor_____ 3

Kuchaev A.A. Simulation of three-dimensional electromagnetic field of ladle-furnace set with

induction stirring of liquid steel_____ 5

Shinkarenko V.F. Directed generation methods of electromechanical object structures with application

of topological transformations of simulation
space_____ 10

Conversion of electrical energy parameters

Fediy V.S. Power accumulation in reactive elements of a series *RLC*-circuit at alternating

voltage source supply_____ 16

Pyanych B.E. Zone control in direct converters with a single modulation_____

22

Isakov V.N., Voitekh V.A., Isakov G.V. Variable -frequency asynchronous electric drives with

current stabilization in power
circuits_____ 27

Tereschenko T.A. Difference equations solution by symmetric conversion of discrete
functions_____ 31

Electromechanical energy conversion

Afonin A.A., Grebenikov V.V., Tseznevsky P. Electromechanical systems of linear motion with

distributed commutator_____ 35

Bogoslavsky Yu.M., Prokofiev Yu.A., Do Nguen Hyng. Simulation of asynchronous states in a
station

containing STG and
ASTG_____ 42

Voitenko V.A. Application of experimental amplitude - frequency characteristics for identification of double -

mass mechanical
parameters_____ 48

Electrical power systems and installations

Baranov V.L., Baranov G.L., Komarenko E.Yu. Analog-to-system simulation of electric power

installations by multicriteria graph problems of parametrical programming
solution_____ 53

Perkhach V.S., Gudim V.I., Skripnik O.I., Gorjachko V.I., Romashko S.M. Mathematical model
of

dynamic electromagnetic circle in circuit - nodal

coordinates_____ 58

Electrical and magnetic measurements

Tankevich E.M. About state and problems of metrological provision of current measurements of

electric power
installations_____ 62

Novik A.I. Balanced systems of precision speed of response single - parameter bridges of

alternating current_____ 65

Kononenko A.G., Kromplyas B.A., Masjurenko Yu.A., Nizhensky A.D., Sidorchuk V.E. High - accurate

ultrasonic liquid flowmeter with superposed
transducers_____ 70

Sebko V.P., Sirenko N.N., Chin Thi To Oan. Single-frequency two-parameter monitoring of

syindrical

ferromagnetic
devices

75

Abstracts

79