

DOI: [https://doi.org/10.15407/ techned2017.02.057](https://doi.org/10.15407/techned2017.02.057)

## SIMULATION OF THE NORMAL AND EMERGENCY OPERATION OF INTERCONNECTED POWER SYSTEM OF UKRAINE FOR FREQUENCY STABILITY STUDY

Journal	Tekhnichna elektrodynamika
Publisher	Institute of Electrodynamics National Academy of Science of Ukraine
ISSN	1607-7970 (print), 2218-1903 (online)
Issue	No 2, 2017 (March/April)
Pages	57 – 60

### Authors

**O.V. Kyrylenko<sup>1</sup>, V.V. Pavlovsky<sup>1</sup>, A.O. Steliuk<sup>1</sup>, O.V. Lenga<sup>1</sup>, M.V. Vyshnevskyi<sup>2</sup>**  
<sup>1</sup> – Institute of Electrodynamics National Academy of Sciences of Ukraine,  
pr. Peremohy, 56, Kyiv, 03057, Ukraine,  
e-mail: astelyuk@gmail.com  
<sup>2</sup> – National power company “Ukrenergo”,  
S. Petliury str., 25, Kyiv, 01032, Ukraine

### Abstract

*Integration of interconnected power system (IPS) of Ukraine to the European Network Transmission System Operators for Electricity (ENTSO-E) requires an improvement of Ukrainian frequency automatic emergency control and harmonization with load-frequency control according to requirements of ENTSO-E. In order to investigate processes of frequency and active power control, it is necessary to develop the detailed simulation model including models of automatic under frequency load shedding (UFLS) relays, special protection automatics (SPA) of the nuclear power plants, automatic generation control (AGC) as well as*

750-220 kV transmission networks of IPS of Ukraine. The frequency stability phenomena have been studied by time domain simulation using the detailed model realized in *DIGSILENT PowerFactory* software. The simulation results for different disturbances are presented. References 12, figures 5.

**Key words:** frequency stability, automatic under frequency load shedding, special protection automatics, power flow, primary and secondary control, automatic generation control, interconnected power system.

Received: 30.11.2016

Accepted: 02.12.2016

Published: 23.03.2017

## References

1. Alekseev S., Kopylov I., Mashanskii A. Interconnected power utilities description as object of frequency and active power control. *Elektrichestvo*. 1980. No 12. Pp. 23-30. (Rus)
2. Kyrylenko O., Pavlovsky V., Steliuk A. AGC Software Model Validation for Identification of Renewables Impact on Frequency Control in the IPS of Ukraine./ Proceedings of International Conference on *Intelligent Energy and Power Systems*. Kyiv, June 2014. Pp. 141-145. DOI: <https://doi.org/10.1109/IEPS.2014.6874166>
3. Pavlovsky V., Steliuk A., Lenga O., Zaychenko V., Vyshnevskyi M., Antoniuk Ya. Influence of the frequency and voltage change on load power considering automatic frequency load shedding. *Enerhetyka i Elektryfikatsiia*. 2016. No 4. Pp. 7-12. (Ukr)
4. Diviya K.C., Nagendra Rao. A novel AGC simulation scheme based on reduced order prime mover models. Conference on *Convergent Technologies for the Asia-Pacific Region*. 2003. Vol. 3. Pp. 1099-1103.
5. Gonzalez-Longatt F., Steliuk A., Hinojosa V.H. Flexible Automatic Generation Control

- System for Embedded HVDC Links. Proceedings of IEEE PowerTech conference. Eindhoven, June 2015. DOI: <https://doi.org/10.1109/PTC.2015.7232555>
6. Gonzalez-Longatt, Francisco, Luis Rueda, Jose. PowerFactory Applications for Power System Analysis. Springer, 2015. 489 p.
7. Hsu C.-T., Kang M.-S., Chen C.-S. Design of adaptive load shedding by artificial neural networks. *IEE Proc. Gener. Transm. Distrib.* 2005. Vol. 152. No 3. Pp. 415-421. DOI: <https://doi.org/10.1049/ip-gtd:20041207>
8. Nanda J., Mishra S., Mishra P. and Sajith K. A novel classical controller for automatic generation control in thermal and hydrothermal system. Joint International Conference on *Power Electronics, Drives and Energy Systems*, India. 2010. Pp. 1-6. DOI: <https://doi.org/10.1109/PEDES.2010.5712439>
9. Ramavathu S.N., Datla V.T., Pasagadi H. Islanding Scheme and Auto Load Shedding to Protect Power System. *International Journal of Computer and Electrical Engineering*. 2013. Vol. 1. No 4. Pp. 508-512.
10. Shahgholian G., Salary M.E. Effect of Load Shedding Strategy on Interconnected Power Systems Stability When a Blackout Occurs. *International Journal of Computer and Electrical Engineering*. 2012. Vol. 4. No 2. Pp. 212-217. DOI: <https://doi.org/10.7763/IJCEE.2012.V4.481>
11. Talaq J., Al-Basri F. Adaptive fuzzy gain scheduling for load frequency control. *IEEE Trans. on Power Systems*. 1999. Vol. 14. No 1. Pp. 145-150. DOI: <https://doi.org/10.1109/59.744505>
12. Technical Background for the Low Frequency Demand Disconnection Requirements. Available at: [https://www.entsoe.eu/Documents/Network%20codes%20documents/NC%20ER/141215\\_Technical\\_background\\_for\\_LFDD.pdf](https://www.entsoe.eu/Documents/Network%20codes%20documents/NC%20ER/141215_Technical_background_for_LFDD.pdf) – 2014. – 20 p. (accessed 24.11.2016)

[PDF](#)