

DOI: <https://doi.org/10.15407/techned2020.04.080>

METHODOLOGY FOR CALCULATING THE ENERGY CONSUMPTION OF INFORMATION COMMUNICATION SYSTEMS

Journal	Tekhnichna elektrodynamika
Publisher	Institute of Electrodynamics National Academy of Science of Ukraine
ISSN	1607-7970 (print), 2218-1903 (online)
Issue	No 4, 2020 (July/August)
Pages	80 - 88

Authors

Song Wenguang^{1*}, Andrushchak V.S.^{2}, Kaidan M.V.^{2***}, Beshley M.I.^{2****}, Kochan O.V.¹,**

²

*****,

Su Jun

³

¹- School of Computer Science, Yangtze University,

Jingzhou, 434023, China,
e-mail: wenguang_song@yangtzeu.edu.cn

²- Lviv Polytechnic National University,
Str. Stepana Bandera, 12, Lviv, 79013, Ukraine,
e-mail: mykola.i.beshlei@lpnu.ua; orestvk@gmail.com
³- School of Computer Science, Hubei University of Technology, Wuhan, China

* ORCID ID : <https://orcid.org/0000-0003-1002-6709>

** ORCID ID : <https://orcid.org/0000-0002-2185-0923>

*** ORCID ID : <https://orcid.org/0000-0002-9942-0229>

**** ORCID ID : <https://orcid.org/0000-0002-7122-2319>

***** ORCID ID : <https://orcid.org/0000-0002-3164-3821>

***** ORCID ID : <https://orcid.org/0000-0002-4290-5049>

Abstract

The methodology for calculating the complex parameter of energy consumption for info-communication networks is proposed. Unlike the known methodologies, the proposed technique takes into account heterogeneity and multilayered network. It also takes into account the parameter of power consumption during the downtime of network equipment in the process of processing of service data blocks, which is quite an important task to improve the accuracy of energy consumption at the stage of implementing an energy-efficient network. According to this method, the energy consumption can be calculated for any network architecture and configuration, network devices configuration and equipment from different manufacturers. References 24, figure 4.

Key words: power consumption, info-communication network, DWDM, electrooptics, acoustics, switch, modulator.

Received: 05.12.2019

Accepted: 29.04.2020

Published: 26.06.2020

References

1. Grandelag P. Energy-efficient cooling for telecom networks: Thermosiphon as energy savings generator. *IEEE International Telecommunications Energy Conference (INTELEC)*. Osaka, 2015. Pp. 1-3.

DOI:

<https://doi.org/10.1109/INTLEC.2015.7572486>

2. Kahalo I., Beshley H., Beshley M., Panchenko O. Enhancing QoS and Energy Efficiency of LTE/LTE-U/Wi-Fi Integrated Network Based on Adaptive Technique for Radio Structure Formation. *IEEE 2nd Ukraine Conference on Electrical and Computer Engineering (UKRCON)*. Lviv, Ukraine, 2019. Pp. 1167-1170.

DOI:

<https://doi.org/10.1109/UKRCON.2019.8879923>

3. Elmirghani J. M. H., Klein T., Hinton K., Nonde L, Lawey A. Q., El-Gorashi T. E. H., Musa M. O. I., X. Don . GreenTouch GreenMeter core network energy-efficiency improvement measures and optimization. In *IEEE/OSA Journal of Optical Communications and Networking*. 2018. Vol. 10. No 2. Pp. A250-A269. DOI:

<https://doi.org/10.1364/JOCN.10.00A250>

4. Hadi M., Pakravan M. R. Energy-efficient fast configuration of flexible transponders and grooming switches in OFDM-based elastic optical networks. in *IEEE/OSA Journal of Optical Communications and Networking*

. 2018. Vol. 10. No 2. Pp. 90-103. DOI:

<https://doi.org/10.1364/JOCN.10.000090>

5. Musa M., Elgorashi T., Elmirghani J. Bounds for energy-efficient survivable IP over WDM networks with network codin. in *IEEE/OSA Journal of Optical Communications and Networking*. 2018. Vol. 10. No 5. Pp. 471-481. DOI:

<https://doi.org/10.1364/JOCN.10.000471>

6. Klymash M., Beshley H., Seliuchenko M., Beshley M. Algorithm for clusterization, aggregation and prioritization of M2M devices in heterogeneous 4G/5G network. *4th International Scientific-Practical Conference Problems of Infocommunications. Science and Technology*

(PIC S&T). Kharkiv, Ukraine, 2017. Pp. 182-186.

DOI:

<https://doi.org/10.1109/INFOCOMMST.2017.8246376>

7. Romanchuk V., Beshley M., Panchenko O., Arthur P. Design of software router with a modular structure and automatic deployment at virtual nodes. *2nd International Conference on Advanced Information and Communication Technologies*

(AICT). Lviv, Ukraine, 2017. Pp. 295-298.

DOI:

<https://doi.org/10.1109/AICT.2017.8020123>

8. Zong Y., Ou Y., Hammad A., Kondepu K., Nejabati R., Simeonidou D., Liu Y., Guo L. Location-aware energy efficient virtual network embedding in software-defined optical data center networks. in *IEEE/OSA Journal of Optical Communications and Networking*. 2018. Vol. 10. No 7. Pp. 58-70. DOI:

<https://doi.org/10.1364/JOCN.10.000B58>

9. Yeromenko V., Kochan O. The conditional least squares method for thermocouples error modeling. *IEEE 7th International Conference on Intelligent Data Acquisition and Advanced Computing Systems (IDAACS)* (IDAACS). Berlin, Germany, 2013. Pp. 157-162. DOI: <https://doi.org/10.1109/IDAACS.2013.6662661>

10. Memon A. K., Khan A. M., Musavi S. H. A., Kumar G., Memon A. L. 40Gbps DQPSK transmission system for high data rate energy efficient Next Generation Passive Optical Network (NGPON). *International Conference on Innovations in Electrical Engineering and Computational Technologies (ICIEECT)*. Karachi, Pakistan, 2017. Pp. 1-8.

DOI:

<https://doi.org/10.1109/ICIEECT.2017.7916554>

11. Musumeci F., Hmaity A., Tornatore M., Pattavina A. Energy efficiency in reliable optical core networks. *IEEE Online Conference on Green Communications (OnlineGreenComm)*.

Piscataway, USA, 2015. Pp. 1-6.

DOI:

<https://doi.org/10.1109/OnlineGreenCom.2015.7387370>

12. Su J., Kochan O. Common mode noise rejection in measuring channels. *Instruments and Experimental Techniques*. 2015, Vol. 58. No 1. Pp. 86-89.

DOI:

<https://doi.org/10.1134/S0020441215010091>

13. Ji Y., Zhang J.; Zhao Y., Li H., Yang Q., Ge C.Xiong Q., Xue D., Yu J., Qiu S. All Optical Switching Networks With Energy-Efficient Technologies From Components Level to Network Level. in *IEEE Journal on Selected Areas in Communications*. 2014. Vol. 32. No 8. Pp. 1600-1614. DOI:

<https://doi.org/10.1109/JSAC.2014.2335352>

14. Tucker R., Hinton K., Ayre R. Energy efficiency in cloud computing and optical networking. *38th European Conference and Exhibition on Optical Communications*. Amsterdam, Holland, 2012. Pp. 1-32.

DOI:

<https://doi.org/10.1364/ECEOOC.2012.Th.1.G.1>

15. Musumeci F., Vismara F., Grkovic V., Tornatore M., Pattavina A. On the Energy Efficiency of Optical Transport with Time Driven Switching. *IEEE international Conference on Communication*. Kyoto, Japan, 2011. Pp. 1-5.

DOI:

<https://doi.org/10.1109/icc.2011.5962484>

16. Kaidan M., Andrushchak V., Pitsyk M. Calculation Model of Energy Efficiency in Optical Transport Networks. *Second International Scientific-Practical Conference Problems of Infocommunications Science and Technology*. Kharkiv, 2015. Pp. 167-170.

DOI: <https://doi.org/10.1109/INFOCOMMST.2015.7357303>

17. Tesik Yu.F., Karasinskii O.L., Moroz R.N. Computer simulation of high-voltage DAC. *Tekhnichna Elektrodynamika*. 2019. No 1. Pp. 85-88. (Ukr). DOI:

<https://doi.org/10.15407/techned2019.01.085>

18. Hertsyk S.M., Gorodzha A.D., Myslovych M.V., Podoltsev O.D., Sysak R.M., Troshchynskyi B.O. Models of wave processes in objects of limited form and their use for diagnostics of electrotechnical equipment. *Tekhnichna Elektrodynamika*. 2018. No 2. Pp. 86-94. (Ukr). DOI: <https://doi.org/10.15407/techned2018.02.086>

19. Chabarek J., Sommers J., Barford P., Estan C., Tsang D., Wright S. Power Awareness in Network Design and Routing. The *27th Conference on Computer Communications*. Phoenix, 2008. Pp. 457-465.

DOI:

<https://doi.org/10.1109/INFOCOM.2008.93>

20. Nhat V. V. M., Quoc N. H. A model of adaptive grouping scheduling in OBS core nodes. *Journal of Convergence*

. 2014. Vol. 5. No 1. Pp. 9–13.

21. Lopatina P.S., Krishtop V.V. Electro-optical modulator for fiber-optic communication lines. *Izvestiya VUZov. Priborostroenie*

- . 2009. Vol. 52. No 12. Pp. 67-71. (Rus).
22. Andrushchak A.S., Mytsyk B.G., Demyanyshyn N.M., Kaidan M.V., Yurkevych O.V., Dumych S.S., Kityk A.V., Schranz W. Spatial anisotropy of linear electro-optic effect in crystal materials: II. Indicative surfaces as efficient tool for electro-optic coupling optimization in LiNbO₃. *Optics & Lasers in Engineering*. 2009. Vo. 47. No 1. Pp.24-30. DOI: <https://doi.org/10.1016/j.optlaseng.2008.08.007>
23. Fedelesh V.I., Stegura M.M., Yurkin I.M., Babidorich P.P. Acousto-optical modulators and deflectors based on the chalcogenide glasses (As₂S₃)_{1-x}Hg(Ge)_x. *Naukovyi visnyk Uzhhorodskoho universytetu. Seriia Pfizika*. 2009. No 26. Pp. 157-166. (Ukr).
24. Bondarenko V.S., Zorenko V.P., Chkalova V.V. Acousto-optical light modulators. Moskva: Radio i sviaz, 1988. 136 p. (Rus)

[PDF](#)



This work is licensed under a [Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License](https://creativecommons.org/licenses/by-nd/4.0/)